

# MILDEW PLUS™

## Ready To Use - Mold & Mildew Remover

WENCO® MILDEW PLUS™ is for use on mildewed areas of bathroom tile, grouting around tubs and shower stalls. MILDEW PLUS™ removes mildew and algae stains.

**IDEAL FOR USE ON:** BATHROOM TILE, GROUT, FIBERGLASS OR VINYL SHOWERS, VINYL BATH MATS OR SHOWER CURTAINS, VINYL AWNINGS, VINYL AUTO AND BOAT TOPS, PLASTIC UTENSILS AND PORCELAIN.

### DIRECTIONS FOR USE

**READY TO USE** - Wear appropriate personal protection when using. **DO NOT MIX WITH ANY OTHER CHEMICALS, WILL CAUSE HAZARDOUS VAPORS.**

**TO REMOVE MILDEW STAINS:** Just spray on mildewed area and let stand for 2-3 minutes. Wipe and rinse off. Let air dry. Repeat if necessary. For stained garbage cans, teapots & cups, stained dishes: Wash thoroughly first, then dilute 4 ounces MILDEW PLUS™ per gallon of water and soak for 5 minutes and rinse thoroughly. (Do not use on silverware.) **OTHER**

**CAUTIONS:** Do not use on painted surfaces you do not intend to repaint. When using on vinyl, do not allow to contact stitching or backing. Do not allow to come into contact with clothing, carpeting or other fabrics which may become discolored or damaged.



**MILDEW PLUS™**  
 Ready To Use - Mold & Mildew Remover

### TECHNICAL PROPERTIES

Form.....	Liquid
Color.....	Amber
Fragrance.....	Chlorine
pH.....	12.3 - 12.8
Specific Gravity @75°F.....	1.066
Density @ 75°F.....	8.9 lbs Per Gallon
Viscosity @ 75°F.....	Thin
Active Ingredient.....	Chlorine 4.2%
Stability.....	1 Year Minimum
Flash Point.....	None

### AVAILABLE SIZES

- ✓ 12x1 Quart Case
- 100% Recyclable

<b>2</b>	HEALTH
<b>0</b>	FLAMMABILITY
<b>0</b>	REACTIVITY
<b>B</b>	PERSONAL PROTECTION

MSDS Available 24 / 7 / 365  
[msds.walternelson.com](http://msds.walternelson.com)



**WENCO** Brand  
 CLEANING SYSTEMS



**WALTER E. NELSON COMPANY**  
 (800) 929-2141 • [www.walternelson.com](http://www.walternelson.com)





injury. SKIN - Vapor, liquid, and mists are corrosive to skin. Brief exposure may irritate skin. Prolonged exposure may burn skin.

**SKIN ABSORPTION HEALTH RISKS AND SYMPTOMS OF EXPOSURE**

Redness, drying of skin, or other signs of irritation or contact dermatitis. May result in primary irritant dermatitis.

**INGESTION HEALTH RISKS AND SYMPTOMS OF EXPOSURE**

Vapors, mists, and liquid are irritating to the mouth and throat. Swallowing the liquid burns the tissues, and may cause severe abdominal pain, nausea, vomiting, circulatory collapse, confusion, collapse, and coma.

**HEALTH HAZARDS (ACUTE AND CHRONIC)**

May be very irritating to the eyes on contact.

**CARCINOGENICITY: NTP CARCINOGEN: No IARC MONOGRAPHS: No OSHA REGULATED: No**

The components of this product are not considered to be carcinogens by the National Toxicology Program, the International Agency for Research on Cancer, or the Occupational Safety and Health Administration.

**MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE**

Persons with pre-existing dermatitis may be more susceptible to the effects of this material.

**EMERGENCY AND FIRST AID PROCEDURES**

INHALATION - Remove to fresh air. Give artificial respiration if not breathing. EYES - Flush immediately with lots of running water for at least 15 minutes holding eye lids open. GET MEDICAL ATTENTION. SKIN - Immediately flush skin with lots of running water for at least 15 minutes. Remove contaminated clothing and shoes. INGESTION - Drink 1 to 8 glasses of water to dilute. DO NOT INDUCE VOMITING. Consult a physician or poison control center immediately. Treat symptomatically. Do not give anything by mouth to an unconscious or convulsing person.

**===== SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE =====**  
**STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED**

For small spills dilute with water, mop or wipe up and contain. For large spills, contain by diking with absorbant material and carefully neutralize with a mild acid. Keep material out of sewers, storm drains, surface waters, and soil.

**WASTE DISPOSAL METHOD**

Comply with all applicable governmental regulations on spill reporting, handling and disposal of waste. Dispose of contaminated product and materials used in clean up in a manner approved for this material and the contaminant. Consult appropriate Federal, State and Local regulatory agencies to ascertain proper disposal procedures and comply with them.

**PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING**

Store in a dry, well ventilated place away from incompatible materials. Keep container tightly closed when not in use. Store at temperatures above the solutions freezing point to remain liquid. Do not use pressure to empty container.

**OTHER PRECAUTIONS**

Empty containers usually still hold residues of material and vapors. These must be considered hazardous and disposed of in accordance with proper handling procedures prescribed for hazardous chemicals. When mixing with water, always add this product to water and stir.

**===== SECTION VIII - CONTROL MEASURES =====**  
**RESPIRATORY PROTECTION**

In the absence of adequate ventilation an approved respirator may be required.

**VENTILATION**

Be sure to provide adequate ventilation in all working areas at all time. In general, health problems could result from repeated and prolonged exposure to chemical vapors.

**PROTECTIVE GLOVES**

Wear resistant gloves such as polyethylene or rubber.

**EYE PROTECTION**

Chemical splash goggles should be worn during application of this product.

**OTHER PROTECTIVE CLOTHING OR EQUIPMENT**

M A T E R I A L   S A F E T Y   D A T A   S H E E T

WEN MILDEW PLUS 12XQTS/CASE

Page: 3  
8/8/2008

---

Where gross eye and skin contact may occur use and wear appropriate clothing, rubber boots with pants on the outside, and rubber gloves.

**WORK/HYGIENIC PRACTICES**

Standard hygienic practices must be observed when handling all chemicals.

**===== SECTION IX - DISCLAIMER =====**

Information contained herein is furnished without warranty of any kind. Employees should use this information only as a supplement to other information gathered by them and must make independent determination of suitability and completeness of information from all sources to assure proper use of these materials and for the safety and health of employees.