

# NEW-TECH FLOOR SYSTEMS

# REVIVE™

## Floor Finish Restorer



**REVIVE™**  
 Floor Finish Restorer

WENCO® REVIVE™ floor finish restorer as a regular part of propane and other high speed floor maintenance programs will greatly reduce labor and provide outstanding results. A one step product, use this formulation as a cleaner and restorer by mopping on and burnishing with a high speed machine or use through an automatic scrubber.

- Repairs scuffs and scratches, restores gloss.
- Compatible with most floor finishes.
- Reduces labor cost.
- For propane and other high speed equipment.

### DIRECTIONS FOR USE

READ THE ENTIRE LABEL BEFORE USING THIS PRODUCT.

#### MOP AND BURNISH METHOD

1. Dust mop floors to remove surface dirt and grit.
2. Add 2 ounces of REVIVE™ per gallon of water (1:64) in a clean mop bucket.
3. Damp mop floor with solution, uniformly applying a thin coat.
4. Let floor dry thoroughly, burnish floor with a high speed floor machine and a soft polishing pad.

#### AUTOMATIC SCRUBBER METHOD

1. Dust mop floors to remove dirt and grit.
2. Fill scrubber solution tank with water and add REVIVE™, 4 ounces per gallon of water (1:32).
3. Scrub the floor picking up solution as cleaning and detail mop any trails that are left behind from machine.
4. Let floor dry thoroughly and burnish with propane or other high speed floor equipment.

#### TECHNICAL PROPERTIES

Form.....Liquid  
 Color.....White  
 Fragrance.....Lemon  
 pH.....8.0 - 9.0  
 Specific Gravity @ 75°F.....1.02  
 Density @ 75°F.....8.48 lbs Per Gallon  
 Flash Point.....None  
 Freeze/Thaw.....3 Cycles  
 Gloss.....Exceptional

#### AVAILABLE SIZES

- ✓ **4x1 Gallon Case**  
Bottles Contain 25% PCR  
Carton Contains 55% PCF
- ✓ **5 Gallon Pail**  
100% Recyclable
- ✓ **55 Gallon Drum**  
Reconditioned, Reused

<b>2</b>	<b>HEALTH</b>
<b>0</b>	<b>FLAMMABILITY</b>
<b>0</b>	<b>REACTIVITY</b>
<b>B</b>	<b>PERSONAL PROTECTION</b>

MSDS Available 24 / 7 / 365  
[msds.walterenelson.com](http://msds.walterenelson.com)



**WENCO** Brand  
 CLEANING SYSTEMS



**WALTER E. NELSON COMPANY**  
 (800) 929-2141 • [www.walterenelson.com](http://www.walterenelson.com)



MATERIAL SAFETY DATA SHEET

WEN REVIVE FINISH RESTORER 5 PAIL

Page: 1  
8/8/2008

PRODUCT NAME: WEN REVIVE FINISH RESTORER 5 PAIL  
PRODUCT CODE: FLFREVXXWEN-REV-5

SECTION I - MANUFACTURER IDENTIFICATION

DISTRIBUTOR'S NAME: Walter E. Nelson Company  
ADDRESS : 5937 North Cutter Circle  
Portland, OR 97217

EMERGENCY PHONE : 800-228-5635 x059 DATE REVISED : 8/8/2008  
INFORMATION PHONE : 800-929-2141 NAME OF PREPARER : C. WERNER, CHEMIST

SECTION II - HAZARDOUS INGREDIENTS/SARA III INFORMATION

REPORTABLE COMPONENTS	CAS NUMBER	VAPOR PRESSURE mm Hg @ TEMP	WEIGHT PERCENT
-----------------------	------------	--------------------------------	-------------------

\*\*\* NO REPORTABLE QUANTITIES OF HAZARDOUS INGREDIENTS ARE PRESENT \*\*\*

\*\*\* No toxic chemical(s) subject to the reporting requirements of section 313 of Title III and of 40 CFR 372 are present. \*\*\*

This product may contain chemicals known to the state of California to cause cancer, birth defects or other reproductive harm.

SECTION III - PHYSICAL/CHEMICAL CHARACTERISTICS

BOILING POINT: 212 DEG F SPECIFIC GRAVITY (H2O=1): 1.02  
VAPOR DENSITY: HEAVIER THAN AIR EVAPORATION RATE: SLOWER THAN ETHER  
SOLUBILITY IN WATER: Complete pH: 6.0 - 8.5  
APPEARANCE AND ODOR: Liquid, non-viscous, faint sweet odor.

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

FLASH POINT: NONE METHOD USED: COC  
FLAMMABLE LIMITS IN AIR BY VOLUME- LOWER: N/A UPPER: N/A  
EXTINGUISHING MEDIA: FOAM, CO2, DRY CHEMICAL, WATER FOG  
SPECIAL FIREFIGHTING PROCEDURES

Fire fighters should wear self-contained breathing apparatus and full protective clothing. Use water spray to cool nearby containers and structures exposed to fire.

UNUSUAL FIRE AND EXPLOSION HAZARDS

None

SECTION V - REACTIVITY DATA

STABILITY: STABLE  
CONDITIONS TO AVOID

None

INCOMPATIBILITY (MATERIALS TO AVOID)

None

HAZARDOUS DECOMPOSITION OR BYPRODUCTS

May liberate carbon monoxide, carbon dioxide, and oxides of sulfur.

HAZARDOUS POLYMERIZATION: WILL NOT OCCUR

SECTION VI - HEALTH HAZARD DATA

INHALATION HEALTH RISKS AND SYMPTOMS OF EXPOSURE

Inhalation risks for this product are considered to be minimal.

SKIN AND EYE CONTACT HEALTH RISKS AND SYMPTOMS OF EXPOSURE

EYES - Liquid and mists will irritate and may burn the eyes. SKIN - No irritation is likely after brief contact but may be irritating after prolonged contact.

SKIN ABSORPTION HEALTH RISKS AND SYMPTOMS OF EXPOSURE

Skin absorption risks unknown.

**INGESTION HEALTH RISKS AND SYMPTOMS OF EXPOSURE**

Swallowing large quantities may cause nausea and vomiting.

**HEALTH HAZARDS (ACUTE AND CHRONIC)**

CHRONIC - No specific information available.

**CARCINOGENICITY: NTP CARCINOGEN: No IARC MONOGRAPHS: No OSHA REGULATED: No**

The components of this product are not considered to be carcinogens by the National Toxicology Program, the International Agency for Research on Cancer, or the Occupational Safety and Health Administration.

**MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE**

None reported.

**EMERGENCY AND FIRST AID PROCEDURES**

INHALATION - Remove to fresh air. Give artificial respiration if not breathing. EYES - Flush immediately with large amounts of water for at least 15 minutes holding eyelids open. Get medical attention. SKIN - Immediately wash skin with lots of soap and water. Remove contaminated clothing & shoes. Get medical attention. INGESTION - If conscious, drink 2 glasses of water. Consult a physician or poison control center immediately. Treat symptomatically. Do not give anything by mouth to an unconscious or convulsing person.

**===== SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE =====  
STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED**

For small spills dilute with water, mop or wipe up and contain. For large spills, contain by diking with absorbant material. Keep material out of sewers, storm drains, surface waters, and soil.

**WASTE DISPOSAL METHOD**

Comply with all applicable governmental regulations on spill reporting, handling and disposal of waste. Dispose of contaminated product and materials used in clean up in a manner approved for this material and the contaminant. Consult appropriate Federal, State and Local regulatory agencies to ascertain proper disposal procedures and comply with them.

**PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING**

Store in a dry, well ventilated place away from incompatible materials. Keep container tightly closed when not in use. Store at temperatures above the solutions freezing point to remain liquid. Do not use pressure to empty container.

**OTHER PRECAUTIONS**

Empty containers usually still hold residues of material and vapors. These must be considered hazardous and disposed of in accordance with proper handling procedures prescribed for hazardous chemicals. When mixing with water, always add this product to water and stir.

**===== SECTION VIII - CONTROL MEASURES =====  
RESPIRATORY PROTECTION**

In the absence of adequate ventilation an approved respirator may be required.

**VENTILATION**

Be sure to provide adequate ventilation in all working areas at all time. In general, health problems could result from repeated and prolonged exposure to chemical vapors.

**PROTECTIVE GLOVES**

None required with normal use.

**EYE PROTECTION**

None required under normal use conditions. Eye protection required if used overhead or misting or spraying.

**OTHER PROTECTIVE CLOTHING OR EQUIPMENT**

Where gross eye and skin contact may occur use and wear appropriate clothing, rubber boots with pants on the outside, and rubber gloves.

**WORK/HYGIENIC PRACTICES**

Standard hygienic practices must be observed when handling all chemicals.

**===== SECTION IX - DISCLAIMER =====**  
Information contained herein is furnished without warranty of any kind. Employees should use this information only as a supplement to other information gathered by them and must make independent determination of suitability and completeness

M A T E R I A L   S A F E T Y   D A T A   S H E E T

WEN REVIVE FINISH RESTORER 5 PAIL

Page: 3

8/8/2008

---

of information from all sources to assure proper use of these materials and for the safety and health of employees.